



X8

Mass loaded high-end turntable

- Heavy mass loaded 15kg belt drive turntable
- Pro-Ject 9cc Evolution carbon tonearm
- Heavy MDF chassis
- Precision balanced and damped aluminum platter
- Inverted bearing with ceramic tip, magnetic support
- Electronic speed control and 33/45rpm switching
- Inverted cardanic tonearm bearings; four stainless steel tips mounted in ABEC 7 quality ball bearings
- · Height-adjustable metal feet with TPE damping
- 5P semi-symmetrical RCA phono cable
- True Balanced upgrade ready
- · Dust cover included
- Finish options: real walnut veneer with satin finish, high gloss piano black, high gloss white
- Handmade in Europe

Color options:



Speed: 33/45rpm (electronic speed change)

Included phono cable: Connect it E 5P -> RCA, 1.23m **Aluminum feet:** Height adjustable & TPE damped

Platter: massive 5.1kg lathed aluminum

Platter bearing: inverted ceramic ball, magnetic support

Speed drift: 33: ±0.11%; 45: ±0.09% **Wow & flutter:** 33: ±0.11%; 45: ±0.10%

Rumble: 73dB

Tonearm: 9" conical one-piece carbon fiber armtube **Effective arm length / mass:** 9" (230 mm) / 8.5g

Overhang: 18mm

Incl. accessories: Dust cover, 7" single adapter, felt mat

Power supply: 15V / 0.8A DC

Power consumption: 5W / 0.3W standby mode

Dimensions lid closed: $465 \times 150 \times 350 \text{mm}$ (W x H x D) Dimensions lid opened: $465 \times 415 \times 420 \text{mm}$ (W x H x D)

Weight: 15kg



Mass loaded high-end turntable with features from X9/X10

The X8 turntable is a true high-end solution with major technical features adapted from the Xtension 9 and 10.

The precision balanced platter is machined out of a single piece of aluminum and damped with a TPE (Thermo Plastic Elastomer) insert. The platter rotates on an inverted bearing with ceramic ball and PTFE thrust pad. To decrease the load on the bearing, an opposing neodymium magnet repels the platter from the plinth and bearing, ensuring smooth and quiet operation for decades to come.





The massive MDF chassis is supported by custom feet which are are CNC machined out of aluminum and are fully height-adjustable. They utilize TPE damping technology, very effectively decoupling the X8 from the surface it is placed on.

The combination of mass and damping provide a very stable system, isolating the stylus from both airborne and structural vibrations, without being finicky to setup and remains stable and properly aligned over time. You hear your music, not the turntable.







The 9cc EVO carbon tonearm utilizes inverted cardanic tonearm bearings, has four stainless steel tips mounted in ABEC 7 quality ball bearings C-shaped section to minimize resonances. The low mass one-piece carbon fiber tonearm tube is crafted in a conical shape to minimize standing wave vibrations. The tonearm wire loom is one piece, from the cartridge to the 5pin DIN output, designed to allow either single ended or True Balanced phono connection.

What's True Balanced?



Low output Moving Coil cartridges are acknowledged as capable of the best performance in terms of information retrieval, but the increased performance comes at the expense of a lower signal output. This makes Moving Coil cartridges more susceptible to radiated interference, hum and noise. However, since most Moving Coil cartridges are inherently electrically balanced, it is possible to retain the balanced wiring configuration direct to the phono preamp, much as professional microphones are run fully balanced to mic preamps as you would see in any recording studio in the world.

To take full advantage of the balanced output of Moving Coil cartridges, Pro-Ject has developed our True Balanced upgrade path.



Connect it Phono E 5P/RCA included: Semi-balanced premium phono cable

The X8 ships with a semi-balanced Connect it E 5P -RCA cable and the Sumiko Moonstone, a moving magnet cartridge. When upgrading to a Moving Coil cartridge, by incorporating our fully balanced 5P to XLR connecting cable (available separately) and using a balanced phono stage, (like our Phono Box S3 B, Phono Box DS3 B or the RS/RS2 phono stages, you are fully set-up for the True Balanced experience. This dramatically improves the signal to noise ratio, minimizing susceptibility to noise and hum, and preserving recorded dynamics.



Connect it Phono DS 5P/XLR: separately available upgrade cable for **True Balanced** phono connections



The X8 exemplifies Pro-Ject's ability to craft high performance audio products, with innovative technologies and old world European craftsmanship at real world prices. Fantastic performance, impeccable fit and finish, designed and built with a passion for music. This is heirloom quality audio.

The finish choices are high gloss black, high gloss white and a real wood walnutveneer.